

PRODUCT CATALOG EXPORT 2018







# PRODUCT CATALOG EXPORT 2018

#### Industrias Químicas Tamar, S.L.

Polígono Industrial El Bobalar, Parcela 5. 46590 Estivella / Valencia / Spain Tel. 0034 96 262 91 17 · Fax. 900 804 155 quimicastamar@quimicastamar.es www.quimicastamar.es Export Department: ana@quimicastamar.es



INDUSTRIAS QUÍMICAS TAMAR, S.L. © 2018. www.quimicastamar.es













## Industrias Químicas Tamar

**Industrias Quimicas Tamar** is a company located just 25 km from Valencia - Spain in the neighboring town of Estivella.

With an area of over 5000 m<sup>2</sup> Quimicas Tamar is one of the few plants that has the capacity to prepare and manufacture biocides nationally and the Ministry of Health considers this extremely important, since we are capable of processing more than **2.000 tons of biocides per year.** 

During more than **20 years** the company has led the way on concepts such as commitment to our customers and quality, these basic foundations have allowed the company to continue growing even through the tough times of the recent crisis.

Recently the company forged an agreement with the Technological Institute to establish a series of quality controlled blind tests, in which randomly selected clients, are given samples of our products, which in turn are checked for quality and chemical analysis. This enables Quimicas Tamar to establish its own external audit verifying and correcting the production process.













#### Currently the company has 3 production lines:

**Liquids** Distributed as follows:

- Line 5 L 1 L. Capacity of 8.000 L / per day.
- Line 10 L 20 L. Capacity 9.000 L / per day.
- IBCs 1,000 L. Capacities 16.000 L / per day.

**Solids** Composed of:

- **Compaction line Tablets:** Composed of mixers, storage silos and compactors with a production of approximately 135.000 tablets / per day.
- **Grain production line:** Composed of mixers and automatic packaging systems with a capacity close to 13.000 kg / per day.

Fire Composed of:

- **Tablets** which currently has a capacity of almost 400 boxes/ hr tablets ideal for the fireplace and barbecues, this production is of strictly organic origin and it was mentioned by the Generalitat Valenciana as an example of sustainable forest, as all organic waste such as cardboards and wood pallets which are to be destroyed are used for the manufacture of this product.
- Fluid power and cleaners: fireplace sprays: capacity of 800 sprays per day.

All legal permits, approvals and inspections follow a strict and rigorous examination both by technical personnel of the plant and the Ministry itself, ensuring at all times the fulfilment of European Chemical Agency (ECHA) and other government departments such as the Ministry of National Toxicology.





#### CHI ORINES AND DESINEECTANTS.



#### **Chlorine Shock Granulate**

Quick action, ideal for making the first water treatment. Great for damaged or muddy waters. The Chlorine shock is the ideal way to shock treat your pool, especially before spring opening.

Package: 5 · 25 Kg



#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: Add 3-5 g /  $m^3$  of water every day Shock Treatment: Add 30-50 g /  $m^3$  of water.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1205010050	4	112
25 Kg	1105010250	1	18



#### Chlorine Granulate

Granulated slow-dissolving chlorine. Special treatment of maintenance and disinfection of the water in the pool. Ideal for daily dosing of your swimming pool which kills bacteria and other potentially harmful organisms

Package: 5 · 30 Kg



#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: Add 3g /  $\rm m^3$  of water every day. Shock Treatment: Add 5 g /  $\rm m^3$  of water every day.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1205050050	4	112
30 Kg	1105050300	1	18



#### Chlorine 5 Actions Tablets

Multifunction tablets 200g Includes disinfectant, clarifying, algaecide, antilimescale and pH regulator. Ideal for full maintenance of the pool water.

Package: 5 · 25 Kg



#### EMPLOYMENT

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 tablet 200g / 25 m³ of water. Shock Treatment: 1 tablet 200g/ 15 m³ of water. Maintain the chlorine level between 0.5 to 2.0 ppm.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1205100050	4	112
25 Kg	1105100250	1	18





#### **Chlorine Tablets**

200 g of slow dissolving tablets. Ideal for the disinfection and maintenance of the pool. Package: 5 · 25 Kg



#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 tablet 200 g /  $20 \text{ m}^3$  Maintain the chlorine level between 0.5 to 2.0 ppm.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1205060050	4	112
25 Kg	1105060250	1	18



#### **Chlorine 6 Actions Tablets**

Multifunction tablets 200 g Includes disinfectant, fungicide, clearer, algaecide, regulator pH and antilime scale. Ideal for the full maintenance of the pool water. Package: 5 · 25 Kg

Tablets: 200 g

#### EMPLOYMENT

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 tablet 200 g /  $25~\text{m}^3$  of water. Maintain the chlorine level between 0.5 to 2.0 ppm.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1205104050	4	112
25 Kg	1105104250	1	18



#### **Bromin Spas Tablets**

A powerful disinfectant, eliminates bacteria and harmful organisms. Does not produce smells.

 $\label{local-local-local} Ideal for the \ maintenance \ of the \ spas \ and \ pools.$ 

#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 tablet 20 g / 5  $\mathrm{m}^3$  of water.

Pac	kage:	5.	25	Kg



PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1110130050	4	112
25 Kg	1110130250	1	18





#### ALGICIDES.



#### Algicide Long Duration Brightener Effect

Fast acting liquid and long lasting, this product is able to kill the formation and development of algae in the pool for many months. Do not use in polyester pools.

Package: 5 · 20 L

Liquid

#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0

Initial Treatment: 2 L /100 m<sup>3</sup>

 $\label{eq:maintenance} Maintenance Treatment: 1 L / 100 \, m^3 \, once \, a \, week.$   $\label{eq:maintenance} Maintain \, the \, chlorine \, level \, between \, 0.5 \, to \, 2.0 \, ppm.$ 

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1220160050	4	128
20 L	1120160200	1	36



#### Algicide 3 Actions

3 actions in a single product. Prevents the formation and development of algae, allows a greater clarity of the swimming pool water and helps regulate pH. Do not use in polyester pools.

Package: 5 · 20 L

Liquid

#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Initial Treatment:  $2 L/100 m^3$ .

Maintenance Treatment:  $0.5 \text{ L} / 100 \text{ m}^3$  once a week. Maintain the chlorine level between 0.5 to 2.0 ppm.

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1220180050	4	128
20 L	1120180200	1	36



#### Algicide Super Concentrated

Powerful anti-algae action fast and durable, is able to kill the formation and development of algae in the pool with fewer doses. Do not use in polyester pools.

Package: 5 · 20 L

Liquid

#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Initial Treatment:  $1 L/100 \, \text{m}^3$ .

Maintenance Treatment: 0.25L / 100 m³ once a week. Maintain the chlorine level between 0.5 to 2.0 ppm.

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1120170050	4	128
20 L	1120170200	1	36

#### FLOCCULANT AND CLARIFIERS





## Flocculant / Clarifier Liquid

It groups the colloidal particles together eliminating in the filtrate. This causes the pool water to have a more transparent and crystalline appearance. Package: 5 · 20 L



#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1  $L/100 \text{ m}^3$ .

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1225210050	4	128
20 L	1125210200	1	36



#### Flocculant / Clarifier Tablet

It groups the colloidal particles together eliminating in the filtrate. This causes the pool water to have a more transparent and crystalline appearance. Package: 5 · 25 Kg



#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 tablet  $200 \text{ g} / 20 \text{ m}^3$  of water.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1125230050	4	112
25 Kg	1125230250	1	18



#### Flocculant / Clarifier Cartridges

It groups the colloidal particles together eliminating in the filtrate. This causes the pool water to have a more transparent and crystalline appearance. Package: 750g



#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 cartridge/  $50~\text{m}^3$  of water.

PACKAGE	REF NR	U/BOX	U/PALET
750 a	1125220007	10	400







#### pH Increaser Liquid

This product is especially formulated to increase the pH of the pool water. For an optimum performance of chlorine, pH must be between 7.2 -8.0

Package: 5 · 20 L



Liquid

#### **EMPLOYMENT**

To increase pH by 0.2: 1 L/ 100 m<sup>3</sup> of water.

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1230260050	4	128
20 L	1130260200	1	36



### pH Increaser Granulate

This product is especially formulated to increase the pH of the pool water. For an optimum performance of chlorine pH must be between 7.2 –8.0

Package: 6 · 25 Kg



Granulate

#### **EMPLOYMENT**

To increase pH by 0.1:  $25 \text{ g} / 50 \text{m}^3$  of water.

PACKAGE	REF NR	U/BOX	U/PALET
6 Kg	1130240060	4	112
25 Kg	1130240250	1	18



#### pH Decreaser Liquid

This product is especially formulated to reduce the pH of the pool water. For an optimum performance of chlorine, pH must be between 7.2 -8.0

Package: 5 · 20 L



Liquid

#### **EMPLOYMENT**

To decrease pH by 0.2:  $1 L/100 m^3$  of water.

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1230270050	4	128
20 L	1130270200	1	36



#### pH Decreaser Granulate

This product is especially formulated to reduce the  $\ensuremath{\mathsf{pH}}$ of the pool water. For an optimum performance of chlorine, pH must be between 7.2 -8.0

Package: 6 · 25 Kg



Granulate

#### **EMPLOYMENT**

To decrease pH by 0.1:  $25 \text{ g} / 50 \text{ m}^3 \text{ of water.}$ 

PACKAGE	REF NR	U/BOX	U/PALET
6 Kg	1130250060	4	112
25 Kg	1130250250	1	18







#### Anti Cal/ Anti Iron Liquid

Neutralizes the particles of lime and iron avoiding the deterioration of the water and the formation of calcareous sediments in the waterline. Compatible with all kinds of swimming pools.

Package: 1 · 5 L



#### **EMPLOYMENT**

Maintenance Treatment: 1 L / 50 m<sup>3</sup>.

PACKAGE	REF NR	U/BOX	U/PALET
1 L	1140210010	12	288
5 L	1140210050	4	128



#### Anti Cal/ Anti Iron

Neutralizes the particles of lime and iron avoiding the deterioration of the water and the formation of calcareous sediments in the waterline. Compatible with all kinds of swimming pools.

Package: 5 Kg



Maintenance Treatment: 50 - 70 g / 50 m<sup>3</sup>.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1140292050	4	84



### Wall Cleaner

Removes rust, lime and other symmetries of the walls of the pool. Not to be used in polyester pools.

Package: 5 · 20 L



Liquid

#### **EMPLOYMENT**

Use directly on the surface. Rub with a brush.

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1135300050	4	128
20 L	1135300200	1	36



#### **Antifoam**

Eliminates and prevents foam that can form in the water of swimming pools and spas caused by the introduction of body fat, makeup, sunscreens.

Package: 1 L



#### **EMPLOYMENT**

Maintenance Treatment: 1 L/ 100 m<sup>3</sup>.

PACKAGE	REF NR	U/BOX	U/PALET
1 L	1140333010	12	288







#### **Chlorine Neutralizer**

Removes excess residual chlorine that may still remain in the pool.

Package: 5 · 25 Kg



Granulate

#### **EMPLOYMENT**

To decrease chlorine residual by 0.1: 10g / 1m³ of water.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1135330050	4	84
25 kg	1135330250	1	12



#### Chlorine Stabilizer

Stabilizes residual chlorine avoiding the rapid destruction of the chlorine caused by the ultraviolet rays of the sun, and prolongs and optimizes the disinfecting action of chlorine.

Package: 1.5 Kg



To increase cyanide by 30 pmm:  $30g / 1m^3$  of water.

PACKAGE	REF NR	U/BOX	U/PALET
1 Kg	1140332010	10	400
5 Kg	1135332050	4	84



#### **Chlorine Complete Maintenance**

Tablets of 200 gr of slow dissolution, used for the disinfection and maintenance of the water of the swimming pool. Special polyester pools / line.

Package: 5 Kg



Tablets: 200g

#### **EMPLOYMENT**

Adjust the pH of the pool water to between 7.2 and 8.0 Maintenance Treatment: 1 tablet 200g / 25 m<sup>3</sup> of water.

PACKAGE	REF NR	U/BOX	U/PALET
5 Kg	1105072050	4	84



#### Preventive Algicide

Fast and lasting action liquid able to prevent formation and development of algae in the pool for longer periods. Special polyester pools / line.

Package: 5 L



Liquid

### **EMPLOYMENT**

Initial Treatment: 2 L /100 m<sup>3</sup> Maintenance Treatment: 0.5 L / 100 m<sup>3</sup> once a week.

PACKAGE	REF NR	U/BOX	U/PALET
5 L	1220160050	4	128

#### **POOL ACCESSORIES**





LEAF RAKE LUX

REF NR	U/BOX	U/ PALET
1155570000	6	72



LEAF RAKE SURFACE LUX

REF NR	U/BOX	U/ PALET
1155590000	6	72



FLEXIBLE VACUUM HOSE 8 m

REF NR	U/ BOX	U/ PALET
1170509000	1	30

#### FLEXIBLE VACUUM HOSE 12 m

REF NR	U/ BOX	U/ PALET
1170520000	1	30



ALUMINIUM BARRIER 36 cm

REF NR	U/BOX	U/ PALET
1160500000	6	60



VACUUM HEADS 40 cm

REF NR	U/BOX	U/ PALET
1160490000	6	60



VENTURY BARRIER 16 cm

REF NR	U/ BOX	U/ PALET
1160492000	12	60



FLOATING CHEMICAL DISPENSER T200 G

	_	
REF NR	U/BOX	U/ PALET
1150440000	4	100



FLOATING CHEMICAL DISPENSER T20 G


LOMINGC	TILIVIICAL	DISI LINSE	11 120
REF NR	U/BOX	U/ PALET	
1150450000	6	150	



EXTENDABLE POLES 120 cm / 240 cm

U/ BOX	U/ PALET
6	60
	U/ BOX 6

EXTENDABLE POLES 240 / 480 cm





CURVED BRUSH 45 cm

REF NR	U/BOX	U/ PALET
1145420000	6	150



TEST KIT BASIC (GOTAS)

, , , , , , , , , , , , , , , , , , , ,				
REF NR	U/BOX	U/ PALET		
1175601000	10	400		



TEST KIT DPD1 (TABLETAS)

REF NR	U/ CAJA	U/ PALET
1175600000	10	400





### Organic Refrigerant / Antifreeze

Direct-use coolant for complete protection and performance of all components involved in the cooling circuit in internal combustion engines. Formulated with monoethylene glycol. Do not contain amines, phosphates or nitrites.



### Organic Refrigerant 10%

PROTECTION: + 115°c / - 5°c

Package: 5 L

	Líquid	
$\mathbf{e}$	9	

PACKAGE	REF NR	U/ BOX	U/ PALET
5 L	601100005	4	128



### Organic Refrigerant 20%

PROTECTION: + 120°c / - 9°c

Package: 5 L



PACKAGE	REF NR	U/ BOX	U/ PALET
5 L	601110005	4	128



#### Organic Refrigerant 30%

PROTECTION: + 125°c / - 18°c

Package: 5 L



PACKAGE	REF NR	U/ BOX	U/ PALET
5 L	601120005	4	128



### Organic Refrigerant 50%

PROTECTION: + 132°c / - 35°c

Package: 5 L

Líquid

PACK	AGE R	EF NR U	J/ BOX	U/ PALET
5 L	. 601	1130005	4	128





### Windscreen Washer – 5°C

It effectively cleans the car's windshield by eliminating any dirt and optimizing visibility in adverse weather conditions.

Env	ase: 5 L
	Líquid

PACKAGE	REF NR	U/BOX	U/ PALET
5 L	603000005	4	128



### **Slippers**

Clean, recovers and effectively protects vinyl and plastic surfaces inside the car. Bright effect.

Envase: 600 ml		
-	Líquid	

PACKAGE	REF NR	U/BOX	U/ PALET
600 ml	602000001	16	640



www.quimicastamar.es





Polígono Industrial El Bobalar, 5. 46590 Estivella - Valencia - Spain Tel. 0034 96 262 91 17 · quimicastamar@quimicastamar.es Export Department: ana@quimicastamar.es